



Figure 2a  
Effects of N990 in EPDM Rubber\* – compression set



\* - NORDEL 1070  
After 22h @ 70 C

Source - Cancarb  
Formula-See Appendix II

Figure 2b  
Effects of N990 in EPDM Rubber\* – hardness



\* - NORDEL 1070

Source - Cancarb  
Formula-See Appendix II

Figure 2c  
Effects of N990 in EPDM Rubber\* – resilience




Figure 2d  
Effects of N990 in EPDM Rubber\* – tensile properties






Figure 2e  
Effects of N990 in EPDM Rubber\* – tear strength



\* - NORDEL 1070

Source - Cancarb  
Formula-See Appendix II

Figure 2f  
Effects of N990 in EPDM Rubber\* – tensile strength



\* - NORDEL 1070

\*\* - Aged in Air, 188h @ 150 C

Source - Cancarb  
Formula-See Appendix II

Figure 2g  
Effects of N990 in EPDM Rubber\* – ultimate elongation




Figure 2h  
Effects of N990 in EPDM Rubber\* – elastic modulus




Figure 2i  
Effects of N990 in EPDM Rubber\* – viscous modulus




Figure 2j  
Effects of N990 in EPDM Rubber\* – tan delta





Figure 2k  
Effects of N990 in EPDM Rubber\* – FATIGUE



\* - NORDEL 1070

Source - Cancarb  
Formula - See Appendix II